




**ENERG**  
енергия · ενεργεια



**TEFCOLD**

**UR550**



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**624**  
kWh/annum



**410** L



L



**4**

30°C-55%

2015/1094-IV

# PRODUCT FICHE

**TEFCOLD**® 

**Brand:**

**Model:**

**UR550**

**Model type:**

**Vertical chilled cabinet**

**Energy efficiency class:**

**C**

**Energy efficiency index:**

**48,7**

**Energy consumption, kWh/24h:**

**1,71**

**Energy consumption, kWh/annual:**

**624**

**Net. volume:**

**410**

**GWP:**

**3**

**Climate class (1):**

**4**

**(1) Climate classes:**

**Climate class 3:**

This appliance is designed for use in ambient temperatures of up to 25 °C, and is therefore not suitable for use in a hot commercial kitchen environment.

**Climate class 4:**

This appliance is designed for use in ambient temperatures of up to 30 °C.


**Climate class 5:**

This appliance is designed for use in ambient temperatures of up to 40 °C.

**2015/1094-IV**




**ENERG**  
енергия · ενεργεια



**TEFCOLD**

**UR550**



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**624**  
kWh/annum



**410** L



L



**4**

30°C-55%

2015/1094-IV

# PRODUCT FICHE

**TEFCOLD**® 

**Brand:**

**Model:** UR550

**Model type:** Vertical chilled cabinet

**Energy efficiency class:** C

**Energy efficiency index:** 48,7

**Energy consumption, kWh/24h:** 1,71

**Energy consumption, kWh/annual:** 624

**Net. volume:** 410

**GWP:** 3

**Climate class (1):** 4

(1) Climate classes:

**Climate class 3:**

This appliance is designed for use in ambient temperatures of up to 25 °C, and is therefore not suitable for use in a hot commercial kitchen environment.

**Climate class 4:**

This appliance is designed for use in ambient temperatures of up to 30 °C.

**Climate class 5:**

This appliance is designed for use in ambient temperatures of up to 40 °C.

2015/1094-IV